

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Issued by DBI Certification, notified body No. 2531.

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

Product group 1

Scope: Thermal insulation products

The product fulfils the essential characteristic of **reaction to fire**:

Class A1

Intended use: Thermal insulation products for building equipment and industrial installations

produced by or for

**Skamol A/S
Østergade 58-60
DK-7900 Nykøbing Mors**

and produced in the manufacturing plant (s) **CPA10015**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 14306:2009 : **Thermal insulation products for building equipment and industrial installations – Factory made calcium silicate (CS) products - Specification**
EN 14306:2009 + A1:2013

under system 1 for the performance set out in this certificate are applied and that the performance of the construction product is assessed to remain constant.

The attached annexes form part of this certificate.

Date of issue: **2017-03-21**.

This certificate will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly unless suspended or withdrawn by the notified product certification body.

(This certificate supersedes the previous version of this certificate, issued 2015-08-15)
This certificate was first issued 2014-08-01.



Merete Poulsen
Responsible for evaluation



Dan Bluhme
Responsible for certification decision

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: +45 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk



DANAK
Prod. Reg. Nr. 7023

Version 2017-03-21
Page **1** of **3**

EXTENT

Type	Description
SKAMOPLUS, SKAMOPRO 225, SKAMOPRO 250, SKAMOPRO 300, SKAMOTEC 225, SKAMOTEC 250, SKAMOTEC 300, SUPERPRO 250, SUPERPRO 300, SKAMOWALL	Calcium silicate boards with density of 225 - 300 kg/m ³ , maximum dimensions 2440 x 1220 mm, maximum thickness 100 mm

The certificate shall be reproduced in extenso
– extracts only with written permission from DBI Certification A/S.

DBI Certification A/S

Jernholmen 12, 2650 Hvidovre
Tlf.: +45 36 34 90 90

E-mail: info@dbicertification.dk
www.dbicertification.dk



DANAK
Prod. Reg. Nr. 7023

Version 2017-03-21
Page 2 of 3

TEST DOCUMENTATION

Accredited Laboratory	Report no.	Date
DBI	PF13386	2010-09-22
DBI	PC10253	2010-09-22
DBI	PHA10687	2015-06-04

TECHNICAL BASIS

Designation	Identification	Date
Product specification	SKAMOPLUS	2015-03-05
	SKAMOPRO 225, SKAMOPRO 250, SKAMOPRO 300	2015-06-01
	SKAMOTEC 225, SKAMOTEC 250, SKAMOTEC 300, SUPERPRO 250, SUPERPRO 300	2015-04-16
	SKAMOWALL	2017-03-21
Supplementary information	R12.001, Rev.nr. 40	2015-03-10
	R12.002, Rev.nr. 36	2015-06-01

The certificate shall be reproduced in extenso
 – extracts only with written permission from DBI Certification A/S.